



INTERIOR FINISH SCHEDULE											
MK	ROOM NAME	FLOOR	BASE	WALLS				CEILING		REMARKS	
				NORTH	EAST	SOUTH	WEST	FIN	HT.		
100	BREAKROOM	A	B	C	C	C	C	D	8'-0"		
101	LUNCH ROOM	A	B	C	C	C	C	D	8'-0"		
102	UNISEX BATHROOM	A	B	C	E	C	E	D	8'-0"		
103	CLASSROOM #1	A	B	C	C	C	C	D	8'-0"		
104	CLASSROOM #2	A	B	C	C	C	C	D	8'-0"		
105	STORAGE	A	B	C	C	C	C	D	8'-0"		
106	UNISEX RESTROOM	E	E	C	E	C	E	D	8'-0"		
107	JANITOR	A	B	C	C	C	C	D	8'-0"		
108	BOY'S RESTROOM	E	E	C	E	C	E	D	8'-0"		
109	GIRL'S RESTROOM	E	E	C	E	C	E	D	8'-0"		
110	CORRIDOR	A	B	C	C	C	C	D	8'-0"		
111	CLASSROOM #3	A	B	C	C	C	C	D	8'-0"		
112	CLASSROOM #4	A	B	C	C	C	C	D	8'-0"		
113	CLASSROOM #5	A	B	C	C	C	C	D	8'-0"		
114	THERAPY ROOM #13	A	B	C	C	C	C	D	8'-0"		
115	WORK ROOM	A	B	C	C	C	C	D	8'-0"		
116	RECORD ROOM	A	B	C	C	C	C	D	8'-0"		
117	CORRIDOR	A	B	C	C	C	C	D	8'-0"		
118	STORAGE	A	B	C	C	C	C	D	8'-0"		
119	OFFICE	A	B	C	C	C	C	D	8'-0"		
120	OFFICE	A	B	C	C	C	C	D	8'-0"		
121	OPEN OFFICE	A	B	C	C	C	C	D	8'-0"		

MATERIAL SCHEDULE			
MK	MATERIAL	DESCRIPTION	REMARKS
A	VINYL FLOOR		
B	RUBBER COVE BASE		
C	PAINT ON GYP BOARD		
D	2 X 2 LAY IN CEILING		
E	CERAMIC TILE		




03 GRAB BAR DETAIL
SCALE 3"=1'-0"



Firm Registration No. BR 949
AFFIXATION DATE:
05/27/21

ADG Architecture
Architecture • Interior Architecture
1551 Oakmont Drive
Allen, Texas 75002
Tel: (972) 437-4611 Cell: 972-672-5150



THERAPY CENTER
2801 OSLER DRIVE SUITE 250
BUILDING A
GRAND PRAIRIE, TEXAS 75051

Job No.
21006

Plan No.

Date
MAY 27, 2021

Drawn By

Revisions
JULY 07, 2021

Sheet Title


FLOOR PLAN AND
ROOM FINISH
SCHEDULE

Sheet No.


A1.1

of 5

OPENING SCHEDULE									
MK	FIN. OPEN'G	DOOR		FRAME		REMARKS			
	WD X HT	TYPE	MATERIAL THICKNESS	TYPE	DETAIL				
100	3'-0" X 7'-0"	AL	1 3/4"			EXISTING ALUM. DOOR AND FRAME			
101	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
102	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
103	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
104	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
105	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
106	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
107	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
108	3'-0" X 7'-0"	MTL	1 3/4"			EXISTING H.M. DOOR			
109	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
110	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
111	3'-0" X 7'-0"	MTL	1 3/4"			NEW H.M. DOOR			
112	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
113	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
114	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
115	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2	EXISTING RELOCATED DOOR AND FRAME			
116	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
117	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
118	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
119	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
120	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
121	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
122	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				
123	3'-0" X 7'-0"	WD	1 3/4"		DETAIL 02/A1.2				




01 REFLECTED CEILING PLAN
SCALE 1/8"=1'-0"



04 INTERIOR PARTITION
SCALE 3/4"=1'-0"



03 INTERIOR PARTITION
SCALE 3/4"=1'-0"



02 DOOR HEAD
JAMB SIM.
SCALE 3"=1'-0"


LIGHTING LEGEND

- A 48" LED LIGHT FIXTURE
- B 2 X 2 LED RECESSED LIGHT FIXTURE US LED L-GRID 3
- D 6" LED RECESSED APERTURE DOWNLIGHT 14 W 4100K BULB METALLIC BAFFLE WHITE TRIM 40 DEGREE BEAM
- X1 EXIT LED LIGHT FISTURE BY EELP EXIT LIGHT WITH EMERGENCY BATTERY BACKUP
- X2 EXIT LED LIGHT FISTURE BY EELP EXIT LIGHT WITH EMERGENCY BATTERY BACKUP



Firm Registration No. BR 949
AFFIXATION DATE:
09/27/21

ADG Architecture
Architecture • Interior Architecture
1551 Oakmont Drive
Allen, Texas 75002
Tel: (972) 437-4611 Cell: 972-672-5150



Therapy Center
2801 OSLER DRIVE SUITE 250
BUILDING A
GRAND PRAIRIE, TEXAS 75051

Job No.
21006

Plan No.

Date
MAY 27, 2021

Drawn By

Revisions

Sheet Title
REFLECTED
CEILING PLAN
AND DOOR
SCHEDULE

Sheet No.

A1.2

of 5


GENERAL NOTES

1. THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS AS INDICATED ON THE DRAWINGS AT THE JOB SITE, AND SHALL NOTIFY THE ARCHITECT OF ANY ERROR, INCONSISTENCY OR OMISSIONS PRIOR TO PROCEEDING WITH THE WORK.
2. DO NOT SCALE DRAWINGS, DIMENSIONS GOVERN. LARGE SCALE DETAILS GOVERN OVER SMALL SCALE.
3. ALL WOODWORK, BLOCKING, GROUNDS, ROUGH BUCKS, MISCELLANEOUS BLOCKING TO BE U.L. APPROVED NON-COMBUSTIBLE MATERIAL IN ACCORDANCE WITH LOCAL MUNICIPAL CODES.
4. GENERAL CONTRACTOR SHALL SUBMIT ALL REQUIRED SHOP DRAWINGS TO OWNER FOR APPROVAL PRIOR TO FABRICATION.
5. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL REQUIRED PERMITS AND CERTIFICATES OF OCCUPANCY.
6. ALL CUSTOM CABINET WORK SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR.
7. ALL RATED CEILINGS (IF REQUIRED) SHALL BE IN COMPLIANCE WITH LOCAL CODES.
8. ALL DOORS USED IN CONJUNCTION WITH EXITS, SHALL BE SO ARRANGED AS TO BE READILY OPENED WITHOUT THE USE OF A KEY, AT ALL TIMES, THE SIDE FROM WHICH EGRESS IS MADE.
9. THE CONTRACTOR SHALL SUPERVISE AND DIRECT THE WORK, USING THE CONTRACTORS BEST SKILL AND ATTENTION. THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES AND PROCEDURES, AND SHALL COORDINATE ALL PORTIONS OF THE WORK.
10. THE CONTRACTOR SHALL BE RESPONSIBLE TO THE OWNER FOR THE ACTS AND OMISSIONS OF THE CONTRACTOR'S EMPLOYEES, SUBCONTRACTORS AND THEIR AGENTS AND EMPLOYEES, AND ANY OTHER PERSONS PERFORMING ANY OF THE WORK UNDER A CONTRACT WITH THE CONTRACTOR.
11. THE CONTRACTOR WARRANTS TO THE OWNER THAT ALL MATERIALS AND EQUIPMENT FURNISHED UNDER THIS CONTRACT WILL BE NEW UNLESS OTHERWISE SPECIFIED, AND THAT ALL WORK WILL BE OF GOOD QUALITY, FREE FROM FAULTS AND DEFECTS AND IN CONFORMANCE WITH THE CONTRACT DOCUMENTS. ALL WORK NOT CONFORMING TO THESE REQUIREMENTS, INCLUDING SUBSTITUTIONS NOT PROPERLY APPROVED AND AUTHORIZED, MAY BE CONSIDERED DEFECTIVE.
12. THE CONTRACTOR SHALL GIVE ALL NOTICES AND COMPLY WITH ALL LAWS, ORDINANCES, RULES, REGULATIONS AND LAWFUL ORDERS OF ANY PUBLIC AUTHORITY BEARING ON THE PERFORMANCE OF THE WORK.
13. THE PURPOSE OF THE ENCLOSED DOCUMENTS IS TO CONVEY DESIGN INTENT ONLY. CONTRACTOR SHALL (A) BE SOLELY BE RESPONSIBLE FOR COMPLIANCE ORDERS OF ANY PUBLIC AUTHORITY BEARING ON THE PERFORMANCE OF THE WORK, (B) PROMPTLY NOTIFY ARCHITECT IF THE DRAWINGS AND SPECIFICATIONS ARE AT VARIANCE THEREWITH, AND (C) OBTAIN ALL REQUISITE BUILDING AND OTHER PERMITS REQUIRED IN CONNECTION WITH THE WORK.
14. THE CONTRACTOR WILL BE PRESUMED TO HAVE INSPECTED THE SITE AND HAVE READ AND TO BE THOROUGHLY FAMILIAR WITH THE CONSTRUCTION DOCUMENTS. THE FAILURE OR OMISSION OF ANY CONTRACTOR TO EXAMINE ANY FORM, INSTRUMENT OR DOCUMENT SHALL IN NO WAY RELIEVE HIM FROM ANY OBLIGATED IN RESPECT TO HIS WORK.
15. NO CHANGES OR SUBSTITUTIONS SHALL BE ALLOWED WITHOUT PRIOR APPROVAL FROM THE OWNER. THE GENERAL CONTRACTOR SHALL REVIEW ALL OTHER DOCUMENTS FOR ADDITIONAL INFORMATION BEFORE CONSTRUCTION BEGINS.
16. ALL EXPOSED TENANT CONDUIT, DISCONNECTS, ETC. EXPOSED ON THE OUTSIDE OF THE BUILDING SHALL BE PAINTED TO MATCH EXISTING.
17. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR THE INSTALLATION OF ROOF TOP EQUIPMENT OF ANY TYPE. THE GENERAL CONTRACTOR SHALL USE THE ORIGINAL ROOFING CONTRACTOR FOR THIS BUILDING FOR AND ALL ROOF PENETRATIONS REQUIRED.
18. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR THE INSTALLATION OF ROOF TOP EQUIPMENT OF ANY TYPE.
19. IN JURISDICTIONS THAT REQUIRE A FIRE SPRINKLER SYSTEM, THE FIRE SPRINKLER SYSTEM AND FIRE ALARM SYSTEM SHALL BE DESIGN BUILD BY A AUTHORIZED CONTRACTOR. CONTRACTOR SHALL SUBMIT FIRE SPRINKLER & FIRE ALARM DRAWINGS BEFORE BEGINNING ANY WORK ON THE FIRE SPRINKLER OR ALARM SYSTEM. THE FIRE SPRINKLER AND ALARM WORK SHALL BE PERFORMED UNDER A SEPARATE PERMIT WHERE APPLICABLE.
20. FIRE EXTINGUISHERS SHALL BE INSTALLED IN ACCORDANCE WITH NFPA 10 AND THE LOCAL JURISDICTION REQUIREMENTS. USE WALL MOUNTED CABINETS IN SPACES VIEWABLE BY THE PUBLIC AND STANDARD EXTINGUISHER WALL BRACKETS IN AREAS NOT VIEWABLE BY THE PUBLIC.
21. ALL FLOORING ALONG A MEANS OF EGRESS PATH OF TRAVEL SHALL BE SLIP RESISTANT IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS.
22. ALL ROOF PENETRATIONS SHALL BE COORDINATED WITH OWNER AND PERFORMED BY A OWNER'S AUTHORIZED ROOF CONTRACTOR IN ACCORDANCE WITH OWNER REQUIREMENTS TO MAINTAIN VALIDITY OF ALL ROOFING WARRANTIES.

23. GENERAL CONTRACTOR SHALL INSPECT ALL EXISTING FIRE PROOFING OF STRUCTURAL ELEMENTS, DEMISING WALLS, AND FLOOR AND CEILING ASSEMBLIES WHICH ARE REQUIRED TO BE FIRE PROTECTED BY GOVERNING CODE S. GENERAL CONTRACTOR SHALL PATCH AND REPAIR ALL DAMAGED FIREPROOFING AND SHALL REPLACE ALL MISSING FIREPROOFING. GENERAL CONTRACTOR SHALL MAINTAIN THE EXISTING FIRE RATINGS OF ALL ELEMENTS AND SHALL PATCH AND REPAIR ANY DAMAGED OR REMOVED ELEMENTS AS REQUIRED TO MAINTAIN FIRE RAINGS.
24. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR APPLYING FOR AND OBTAINING ALL TRADE PERMITS AND OTHER PERMITS AS MAY BE REQUIRED BY THE JURISDICTIONS HAVING AUTHORITY OVER THE PROJECT.
25. GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR SUBMITTING ANY REVISIONS TO THE APPROVED PERMIT DOCUMENTS AND PROCESSING THE APPROVAL OF THE REVISED DOCUMENTS WITH THE JURISDICTIONS HAVING AUTHORITY.
26. GENERAL CONTRACTOR SHALL VERIFY THAT ALL EXISTING DEMISING WALLS EXTEND TO THE BOTTOM OF THE STRUCTURE ABOVE AND SHALL NOTIFY LANDLORD OF ANY DEFICITS IDENTIFIED.
27. GENERAL CONTRACTOR SHALL COORDINATE ALL WORK TO BE PROVIDED BY TENANT INCLUDING WORK THAT IS PART OF THE LANDLORD'S RESPONSIBILITY.
28. GENERAL CONTRACTOR SHALL PATCH AND REPAIR ALL EXISTING SUBSTRATES TO RECEIVE NEW FINISHES AND ALL EXISTING SURFACES AND FINISHES AS NECESSARY FOR A COMPLETE AND PROPER INSTALLATION.

NOTES:

1. CONTRACTOR SHALL BID (1) ADDITIONAL TOUCHUP AND (1) ADDITIONAL FINAL CLEANING AFTER TENANT HAS MOVED IN.



PAINT AND WALL COVERING

1. ALL PAINT SHALL BE APPLIED IN ACCORDANCE WITH THE MANUFACTURE'S SPECIFICATIONS FOR THE PARTICULAR SURFACE; 2 COAT MINIMUM APPLICATION.
2. INSPECT DRYWALL AND VERIFY THAT CONDITIONS ARE SUITABLE FOR THE APPLICATION OF WALL COVERING PRIOR TO INSTALLATION.
3. ALL INTERIOR FINISH MATERIALS TO BE IN COMPLIANCE WITH LOCAL CODES WHEN REQUIRED BY BUILDING OFFICIALS, APPLY FLAME PROOFING TO FABRIC WALLPAPERING (IF REQUIRED).
4. ALL WALL COVERINGS TO BE INSTALLED ACCORDING TO MANUFACTURE'S SPECIFICATIONS FOR THE PARTICULAR SURFACE APPLICATION, INCLUDING TEMPERATURE AND DUST CONTROL. ANY WALL COVERING REQUIRING BACKING SHALL BE PROVIDED BY PAINTING CONTRACTOR. CLASS " A " FIRE RATED.

ELECTRICAL - DATA - LEGEND	
SYMBOL	DESCRIPTION
	110V Receptacles: Duplex
	Switches: Single Pole
	Wall Jacks: CAT5
	Telephone Jack
	Electrical Breaker Panel
	240V Receptacles: Duplex
	Switches: Dimmer
	Wall Sconce Light
	Recessed Can Light Fixture



Firm Registration No. BR 949
AFFIXATION DATE:
09/27/21

ADG Architecture
Architecture • Interior Architecture
1551 Oakmont Drive
Allen, Texas 75002
Tel: (972) 437-4611 Cell: 972-672-5150

ADG

THERAPY CENTER
2801 OSLER DRIVE SUITE 250
BUILDING A
GRAND PRAIRIE, TEXAS 75051

Job No.
21006

Plan No.

Date
MAY 27, 2021

Drawn By

Revisions

Sheet Title
ELECTRICAL
FLOOR PLAN AND
GENERAL NOTES

Sheet No.

A1.3

DEMOLITION NOTES

1. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ALL LABOR, EQUIPMENT AND SERVICES TO PROPERLY EXECUTE THE DEMOLITION AND REMOVAL WORK INDICATED ON THESE CONSTRUCTION DOCUMENTS.

2. THE CONTRACTOR SHALL VISIT THE SITE AND INSPECT THE EXISTING BUILDING AND VERIFY THAT ALL ITEMS INDICATED TO BE EXISTING AND SO MARKED ON ON DRAWINGS ARE IN PLACE AND CORRECT.

3. ALL DEMOLITION WORK SHALL BE PERFORMED WITH MINIMUM DAMAGE TO THE EXISTING WORK TO REMAIN. IT SHALL BE RECOGNIZED THAT THE UTMOST CARE BE TAKEN WHEN PERFORMING THE DEMOLITION WORK. PROVIDE BARRICADES WHERE REQUIRED TO PROTECT THE PUBLIC.

4. PROVISIONS SHALL BE MADE TO ALLEVIATE THE SPREAD OF DEBRIS, DIRT AND DUST TO THE ADJACENT TENANTS. THE PROPERTY SHALL BE KEPT CLEAN AS POSSIBLE AT ALL TIMES. IF ASBESTOS REMOVAL SHALL BE DONE PRIOR TO ANY DEMOLITION WORK, THIS WORK SHALL BE DONE BY A LICENSED ABATEMENT COMPANY.

5. ALL DEBRIS AND MATERIALS FROM THE BUILDING SHALL BE DISPOSED OF OFF THE SITE IN A LEGAL MANNER. NO RECLAIMED SPECIFICALLY APPROVED BY ARCHITECT OR OWNER.

6. WHERE DEMOLITION AND CUTTING WORK HAS OCCURRED OR WHERE EXISTING SURFACES, MATERIALS OR OTHER ITEMS HAVE BEEN DAMAGED OR DISTURBED AS AS A RESULT OF THIS CONTRACT, THE SAID SURFACES AND AREAS SHALL BE CAREFULLY CLOSED UP, PATCHED AND FINISHED, AND OR RESTORED AS REQUIRED TO BE CONTIGUOUS TO EXISTING SURROUNDING SURFACES.



7. REMOVE INTERIOR PARTITIONS ONLY IF THERE IS A CONCERN WHETHER A INTERIOR WALL IS BEARING OR NOT, CONTRACT ARCHITECT IMMEDIATELY TO SCHEDULE A VERIFICATION TIME.

8. WHERE ELECTRICAL NEEDS TO BE ABANDONED, REMOVE WIRE FROM OUTLET ALL THE WAY BACK TO THE ELECTRICAL PANEL SOURCE. ALL WORK SHALL BE DONE BY A LICENSED ELECTRICIAN.

9. WHERE PLUMBING NEEDS TO BE ABANDONED, REMOVE ALL VENT STACK PIPE CAP & ROOF PENETRATION, REMOVE ALL OVERHEAD WATER LINES BACK TO POINT OF ENTRY (CAREFULLY VERIFY IF ANY LINES CAN BE RE-UTILIZED AS A PART OF BE CAPPED-OFF BELOW SLAB. MAKE SURE ALL WATER HAS BEEN TURNED OFF PRIOR NEW BUILD-OUT). ALL UNDERGROUND SANITARY, GREASE OR WATER LINES SHALL TO ANY WORK. AL WORK SHALL BE DONE BY A LICENSED PLUMBER.


10. WHERE VENTILATION OR AIR CONDITIONING NEEDS TO BE ABANDONED, REMOVE ALL EXHAUST & OUTSIDE AIR DUCTS AS REQUIRED. ROOF-TOP FANS SHALL BE REMOVED & THE OPENINGS DRIED-IN TO PREVENT ANY WATER PENETRATION IN THE SPACE. ALL WORK SHALL BE DONE BY A LICENSED HVAC CONTRACTOR.

11. WHERE GAS LINES OR SERVICE NEEDS TO BE ABANDONED, CAREFULLY REMOVE ALL PIPING, SHUT-OFF VALVES & FITTING AS REQUIRED. GAS METER & REGULATOR SHALL BE REMOVED BY UTILITY COMPANY. ALL WORK SHALL BE DONE BY A LICENSED PLUMBER.



Firm Registration No. BR 949
AFFIXATION DATE:
09/27/21

ADG Architecture
Architecture • Interior Architecture
1551 Oakmont Drive
Allen, Texas 75002
Tel: (972) 437-4611 Cell: 972-672-5150



Therapy Center
2801 OSLER DRIVE SUITE 250
BUILDING A
GRAND PRAIRIE, TEXAS 75051

Job No.
21006

Plan No.

Date
MAY 27, 2021


Drawn By

Revisions


Sheet Title
DEMOLITION
FLOOR PLAN

Sheet No.


A1.4




E01 UNISEX RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E02 UNISEX RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E03 UNISEX RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E04 UNISEX RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E05 BOY'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E06 BOY'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E07 BOY'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E08 GIRL'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E09 GIRL'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E10 GIRL'S RESTROOM
ELEVATION SCALE 3/8"=1'-0"




E11 OPEN OFFICE ELEVATION
SCALE 3/8"=1'-0"




E12 BREAK ROOM ELEVATION
SCALE 3/8"=1'-0"




E13 BREAK ROOM ELEVATION
SCALE 3/8"=1'-0"




E14 BREAK ROOM ELEVATION
SCALE 3/8"=1'-0"




E15 UNISEX BATHROOM
ELEVATION SCALE 3/8"=1'-0"




E16 UNISEX BATHROOM
ELEVATION SCALE 3/8"=1'-0"




E17 UNISEX BATHROOM
ELEVATION SCALE 3/8"=1'-0"



E18 UNISEX BATHROOM
ELEVATION SCALE 3/8"=1'-0"



02 ENLARGED FLOOR PLAN
SCALE 1/2"=1'-0"




01 ENLARGED FLOOR PLAN
SCALE 1/2"=1'-0"



Firm Registration No. BR 949
AFFIXATION DATE:
09/27/21

ADG Architecture
Architecture • Interior Architecture
1551 Oakmont Drive
Allen, Texas 75002
Tel: (972) 437-4611 Cell: 972-672-5150



THERAPY CENTER
2801 OSLER DRIVE SUITE 250
BUILDING A
GRAND PRAIRIE, TEXAS 75051

Job No.
21006

Plan No.

Date
MAY 27, 2021

Drawn By

Revisions

Sheet Title

ENLARGED FLOOR
PLAN AND
ELEVATIONS

Sheet No.

A1.5

of 5